


# MODEL RLX-9KA

ALIGNMENT SCISSORS LIFT



Designed and Engineered  
**IN THE USA**




## FEATURES

- Dual synchronous cylinders are applied to assure the lifting level on both Platforms
- Electro-air control system, mechanical safety locks
- Skid proof diamond runway
- Integrated rear slip-plates
- Heavy duty design, the X serial scissors lifts use 150 x75mm tube to make it strong and assure the runways remain level during working
- Optional Jack and Turnplate

Model	Lifting Capacity	Lifting Time	A		B	C	D	E	Gross Weight	Motor
			Lifting Height	Minimum Height	Runway Length	Overall Width	Runway Width	Overall Length (Inc. Ramps)		
RLX-9KA	4.0 t (9,000 lbs)	55 Second	1870 mm (73 5/8")	300mm (11 3/4")	4828 mm (190 3/4")	2190 mm (86 1/4")	625 mm (24 5/8")	6364 mm (250 1/2")	1938kg (4,263 lbs)	4.0HP



Electro-air Safety Device



Shelf For Service



Optional Turnplate



New rear-slip ball sets



EXCLUSIVELY FOR: TOMAD INTERNATIONAL, INC. 8847 COMMERCE PARK PLACE SUITE A, INDIANAPOLIS 46268 - USA  
TEL: (317) 870-1199 FAX: (317) 876-7344 WWW.ROVERLIFTS.COM